

DTIC FILE COPY

DTIC FILE COPY

2

OFFICE OF NAVAL RESEARCH

Contract N00014-89-J-1028

Technical Report No. 1

**PHOTODEGRADATION OF POLYIMIDES 1. A SPECTRAL, VISCOMETRIC,  
CHROMATOGRAPHIC AND WEIGHT LOSS INVESTIGATION  
OF POLYIMIDES BASED ON A PERFLUORINATED DIANHYDRIDE**

by

*C. E. Hoyle and E. T. Anzures*

Prepared for Publication in

J. Appl. Polym. Sci.

Department of Polymer Science  
University of Southern Mississippi  
Hattiesburg, MS 39406-0076

DTIC  
ELECTE  
JUN 05 1989  
S E D

Reproduction in whole or in part is permitted for any purpose of the United States government.

This document has been approved for public release and sale: its distribution is unlimited.

89 6 02 128

AD-A208 507

## REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION none		1b. RESTRICTIVE MARKINGS none	
2a. SECURITY CLASSIFICATION AUTHORITY none		3. DISTRIBUTION/AVAILABILITY OF REPORT  unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE none			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)  Technical Report No. 1		5. MONITORING ORGANIZATION REPORT NUMBER(S)  ONR N0014-89-J-1028	
6a. NAME OF PERFORMING ORGANIZATION  University of Southern Miss.	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION  Office of Naval Research	
6c. ADDRESS (City, State, and ZIP Code) University of Southern Mississippi Department of Polymer Science Hattiesburg, MS 39406-0076		7b. ADDRESS (City, State, and ZIP Code) Chemistry Division 800 North Quincy Street Arlington, VA 22217-5000	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION  Office of Naval Research	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c. ADDRESS (City, State, and ZIP Code) Chemistry Division 800 North Quincy Street Arlington, VA 22217-5000		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO.
		TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) "Photodegradation of Polyimides 1. A Spectral, Viscometric, Chromatographic and Weight Loss Investigation of Polyimides Based on a Perfluorinated Dianhydride"			
12. PERSONAL AUTHOR(S) C. E. Hoyle and E. T. Anzures			
13a. TYPE OF REPORT Technical	13b. TIME COVERED FROM 6-1-88 TO 5-31-89	14. DATE OF REPORT (Year, Month, Day) 1989, May, 31	15. PAGE COUNT
16. SUPPLEMENTARY NOTATION  Prepared for Publication in J. Appl. Polym. Sci.			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP SUB-GROUP		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)  The photodegradation of aromatic dianhydride based polyimide films with perfluorinated chromophores in the dianhydride moiety is characterized by significant weight loss and chain cleavage. A conventional polyimide film based on pyromellitic dianhydride yields little decomposition under similar conditions of photolysis. Emission changes on photolysis of polyimide solutions demonstrates an efficient rearrangement to yield a highly fluorescent species which can be used as an effective tool for following the degradation process. <i>(Signature)</i> <i>(D)</i>			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL C. E. Hoyle	22b. TELEPHONE (Include Area Code) 601-266-4868	22c. OFFICE SYMBOL	

**PHOTODEGRADATION OF POLYIMIDES 1: A SPECTRAL,  
VISCOMETRIC, CHROMATOGRAPHIC AND WEIGHT LOSS INVESTIGATION OF  
POLYIMIDES BASED ON A PERFLUORINATED DIANHYDRIDE**

by

*C. E. Hoyle and E. T. Anzures*

Department of Polymer Science  
University of Southern Mississippi  
Hattiesburg, MS 39406-0076

**Abstract**

The photodegradation of aromatic dianhydride based polyimide films with perfluorinated chromophores in the dianhydride moiety is characterized by significant weight loss and chain cleavage. A conventional polyimide film based on pyromellitic dianhydride yields little decomposition under similar conditions of photolysis. Emission changes on photolysis of polyimide solutions demonstrate an efficient rearrangement to yield a highly fluorescent species which can be used as an effective tool for following the degradation process.




Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail. and/or Special
A-1	


## Introduction

Polyimides based on aromatic dianhydrides and diamines (or diisocyanates) continue to emerge as major materials for use in applications requiring polymers which are chemically resistant and thermally stable. In many cases polyimides are subjected to severe environments including exposure to ultraviolet radiation. This is particularly true for coatings applications where prolonged exposure to sunlight might be expected.

Polyimides which contain trifluoromethyl groups have been synthesized and characterized in a number of laboratories (1-5). Polyimides based on the perfluorinated dianhydride shown below (referred to hereafter as the 6F dianhydride) are especially attractive since they are soluble in a variety of common organic solvents and yet are still quite stable to thermal degradation. For example, the polymer films formed between 6F and 4,4'-oxydianiline (ODA) or 4,4'-methylenedianiline (MDA) show no appreciable decomposition to temperatures approaching 500 °C.



**6F-ODA**



**6F-MDA**

Despite the voluminous number of reports which detail the thermal properties of high temperature polyimides in general and the perfluorinated polyimides specifically, one finds few reports (4,6-8) which describe the photochemically induced degradation of polyimides. When consideration is given to the number of applications and potential applications for polyimides which may require at least some exposure to light, it seems that

a report on the effects of light radiation on the decomposition of polyimides is in order. In this first in a series of papers to be published on the photochemistry of polyimides, we will concentrate on the two polymers based on 6F and ODA (6F-ODA) and 6F and MDA (6F-MDA). The present study will be limited to an initial report of the spectroscopic, molecular weight, and weight loss changes resulting from photolysis with broad band radiation sources. The 6F polymers are well suited to an initial investigation of the photolysis of polyimides since they can be photolyzed both in solution and as films. In addition, since the exposed films remain soluble, they can be analyzed for changes in their molecular weight distribution profiles by viscometric and gel permeation chromatographic (GPC) techniques. Comparison with model compounds and identification of specific photoproducts is reserved for a separate publication.

### Experimental

Materials. Pyromellitic dianhydride (Aldrich) was recrystallized from methyl ethyl ketone (MEK) and vacuum sublimed prior to use. Polymer grade 2,2-bis(3',4'-dicarboxyphenyl)hexafluoropropane dianhydride (6F, Hoechst Celanese) was used without further purification. 4,4'-Oxydianiline (ODA, American Tokyo Kasei) was recrystallized from ethanol and sublimed under vacuum. 4,4'-Methylenedianiline (MDA, Aldrich) was vacuum distilled. Dimethylacetamide (DMAc, Aldrich) used as the solvent in the polymerizations and the viscometric analyses was dried over molecular sieve 4A and fractionally distilled under vacuum from calcium hydride. Spectroscopic grade dimethylformamide (DMF, American Burdick and Jackson) employed in the solution photolysis studies was used as received. Tetrahydrofuran (THF, J.T. Baker) used in the GPC was distilled under nitrogen from calcium hydride.

Synthesis. In each case, the requisite diamine was dissolved in DMAc in a nitrogen-purged flask and an equimolar amount of the dianhydride was added. The reaction mixture contained 15 weight % solids and was stirred at room temperature for eight hours. The polyamic acid solution was poured onto soda lime glass plates and spread using a drawbar that produced a 3 mil thick wet film. The polyamic acid was thermally converted to polyimide by heating in a Blue M forced air oven. The temperature program used in the curing process involved 20 minutes at 60°C, 1 hour at 100°C, 1 hour at 200°C, and 1.5 hours at 260°C. There was a ramp time between isothermal settings. The glass plates were placed in hot water to facilitate the removal of the polyimide films. FT-IR analyses of the films showed them to be essentially fully imidized. The characteristic imide bands (9) at 1780, 1720, 1370, and 720  $\text{cm}^{-1}$  were seen in the IR spectra of the cured films. Inherent viscosities of the polyimides synthesized for 0.5 wt% solutions in DMAc at 35°C were as follows: PMDA-ODA--1.19 dL/g; 6F-ODA--0.69 dL/g; and 6F-MDA--0.50 dL/g.

Characterization. Infrared absorption spectra were obtained using a Perkin-Elmer 1600 FT-IR spectrophotometer with 4  $\text{cm}^{-1}$  resolution. A Perkin-Elmer Lambda 6 UV-VIS spectrophotometer with 1 nm resolution was used to record the UV absorption spectra.

The fluorescence emission spectra were determined from a Perkin-Elmer 650-10S fluorescence spectrophotometer. All samples were sparged with nitrogen before fluorescence measurements were taken. The fluorescence emission was measured at an angle of 90° to the excitation beam. 2-nm slit widths were used for both the excitation and emission monochromators.

The GPC analyses were carried out using the following conditions and equipment: solvent, THF; flow rate, 1.0 mL/min.; 100, 500, 10<sup>4</sup>, and 10<sup>5</sup> Å Waters Ultrastryragel columns; Waters 410 differential refractometer. The calibration curve was based upon a

series of polystyrene standards (Polysciences) possessing molecular weights of  $1.86 \times 10^6$ ,  $6.62 \times 10^5$ ,  $7.48 \times 10^5$ ,  $4.31 \times 10^4$ ,  $1.68 \times 10^4$ ,  $3.38 \times 10^3$ , and  $1.79 \times 10^3$ . Molecular weights were determined from the peak maxima of the elution curves.

Inherent viscosity measurements were obtained using an Ostwald size 100 bore viscometer. 0.2 weight % solutions were prepared and equilibrated at 35°C.

Photolysis. The solution photolyses were carried out in a Rayonet RPR-100 photochemical reactor equipped with a full complement of sixteen 300 nm lamps. The solutions were placed in closed quartz test tubes and sparged with the desired gas before irradiation. A merry-go-round unit kept the center of the test tube 4.5 cm from the front of the lamps and allowed uniform irradiation of the samples.

The film photolyses were conducted using the full arc of a 450 W Canrad-Hanovia medium pressure mercury lamp in air. The films were placed approximately 8 cm from the lamp.

### Results and Discussion

The results and discussion section will be divided into two parts: photolysis of polyimide solutions and photolysis of polyimide films. Although the two media represent different environments, it is possible to utilize results from both to provide a better overview of the basic polyimide photodecomposition process.


Solution Photolysis. Figures 1 and 2 show results for the changes in the UV absorption spectra of the 6F-MDA polymer as a result of photolysis of DMF solutions with a Rayonet Reactor (300 nm lamps used). Samples were oxygen (Figure 1) and nitrogen (Figure 2) degassed prior to and during irradiation. In both oxygen and nitrogen, there is a distinct red shift in the absorbance with increasing photolysis time. Perhaps the most striking aspect of these results is the large increase in absorbance for the nitrogen degassed solution.

Similar results to those for the 6F-MDA polymers were obtained for the 6F-ODA system (Figures 3 and 4). Apparently oxygen, at least under the conditions employed, serves to inhibit color formation in the photolyzed 6F-MDA and 6F-ODA polymers in DMF solution. Although not shown here, similar behavior is exhibited for photolysis of appropriate model compounds in solution.


In a complimentary study to the UV analysis, solutions of 6F-MDA and 6F-ODA polymer were photolyzed in oxygen and nitrogen saturated DMF solutions and their fluorescence emission spectra were recorded before and after photolysis. As shown in Figure 5 and Figure 6, prior to photolysis 6F-MDA and 6F-ODA there is no fluorescence from either polymer in solution. Following 0.25 hours of photolysis a very distinct broad emission is observed with a peak maximum around 490 nm (uncorrected). Additional photolysis results in a continued buildup in the peak at 490 nm with an accompanying shoulder appearing at about 460 nm. Similar results have been obtained for photolysis of a model compound. Although in this paper we will not attempt to give final assignments to the fluorescence peaks in Figures 5 and 6, it should be noted that such highly red shifted emission spectra with maxima between 460-500 nm are highly reminiscent of the reported fluorescence spectra of the substituted benzanilide chromophores which dominate the spectra of aramids such as poly (1,3-phenylene isophthalamide) and poly (1,4-phenylene terephthalamide) (10-13). Exact identification of the primary photochemical reactions of the basic benzimide group will be relegated to a separate publication which will include quantum yield studies for photolysis of model compounds. The results in Figures 1-6 are important for the present case since they vividly point out the labile nature of the polyimides based on 6F in solution and set the stage for the film photolysis investigations to follow.



**Film Photolysis.** Figures 7-10 show IR and UV spectra before and after photolysis of thin films of 6F-MDA and 6F-ODA in air for 20 hours with a medium pressure mercury lamp. For both polymers there is a significant and uniform decrease in all bands of the IR spectra accompanied by a blue shift in the UV spectra with no new peaks appearing above 350 nm. For comparison, the IR spectra of thin films of pyromellitic dianhydride (PMDA) and MDA or ODA photolyzed under similar conditions (Figures 11 and 12) show much less change in the IR or UV spectra.



**PMDA-ODA**



**PMDA-MDA**

Apparently the flexibility afforded by the 6F group is instrumental in accelerating the photodecomposition of the polyimide film. Moreover, the uniform decrease in the IR spectra suggests that the films might be experiencing ablation under the conditions employed for photolysis. This presumption is borne out by the weight loss for the 6F-MDA and 6F-ODA films upon photolysis with a medium pressure mercury lamp (Figure 13). Results for photolysis of PMDA-ODA and PMDA-MDA films are also shown in Figure 13. These data support the results of the IR and UV analysis and illustrate the photolability of the 6F polymers upon exposure to the full arc of a medium pressure mercury lamp.

Additional data which attests to the severe disruptive nature for the photodegradation process of the 6F polymers was obtained by analysis of the molecular weight changes as a function of photolysis (unfiltered medium pressure mercury lamp) of 6F-MDA and 6F-ODA films. Figure 14 shows a marked decrease in the inherent viscosity of 6F-MDA and 6F-ODA polymers photolyzed in the film state and subsequently dissolved in DMAc. In both cases, the decrease in the inherent viscosity is characterized by an initial drop by a factor of about 2 during the first four hours of photolysis. Regardless of photolysis time, the films remained completely soluble in DMAc indicating that no appreciable crosslinking was taking place. Figures 15 and 16 show GPC traces of the 6F-MDA and 6F-ODA samples photolyzed in the film state for 20 hours (unfiltered medium pressure mercury lamp). To illustrate pictorially the large change in molecular weight for the 6F polymers, Figure 17 shows a plot of the relative molecular weight (based on polystyrene) of the peak maxima ( $M_{MAX}$ ) versus the photolysis time. The large drops in  $M_{MAX}$  after 4 hours photolysis illustrate the initial rapid degradation of the polyimide film upon exposure to the unfiltered output of the mercury lamp and provides definitive evidence supporting a very efficient chain cleavage process in the photodegradation of the 6F polyimides.

### Conclusions

This paper is the first in a series of studies on the effect of ultraviolet radiation on the degradation of polyimides. We have concentrated on a spectroscopic (UV, IR, fluorescence), chromatographic (GPC), and viscometric analysis of the changes induced in two fluorine containing polyimides (solution and film) upon exposure to broad band sources of ultraviolet light. The 6F-MDA and 6F-ODA polymers are highlighted in this first paper for two reasons: first and perhaps foremost because they are highly soluble in typical

organic solvents and are thus amenable to investigation by GPC and viscometry. Second, the 6F polyimides are especially unstable photolytically and readily decompose under relatively (compared to most other polyimides) mild photolysis conditions, i.e., prolonged exposure for several days is not required to observe substantial changes. Specific results from this study are:

- (a) 6F-Based polyimides undergo facile and destructive (chain-breaking) changes upon photolysis with an unfiltered medium-pressure mercury lamp source.
- (b) Photolysis of thin 6F polyimides films results in substantial loss in polymer weight.
- (c) Weight loss of the 6F films is accompanied by substantial loss in molecular weight.
- (d) Solution photolysis of 6F polymers results in the appearance of broad band fluorescence well above 400 nm.

Although we cannot as of yet define precisely the exact mechanism for photodegradation of the 6F polymers from the results presented in this paper, we can speculate on the primary and secondary photolysis reactions based on the UV and fluorescence results. One of the initial photochemical reactions is probably a carbon-nitrogen bond cleavage between the carbonyl carbon and the nitrogen in the imide linkage. Assuming only a simple hydrogen abstraction process follows, the result would be an aromatic amide substituted by an aldehyde functionality at the ortho position. Alternatively, one might project an internal photo-Fries rearrangement to give a seven membered aromatic imide linkage which itself would be susceptible to further photolytic decomposition. Photolysis of fully aromatic amides have been described in the literature and lead to the formation of aromatic amines via a N-C bond cleavage and subsequent

arrangements (10-14). Photolysis of aromatic amines give nitroso and coupled azo compounds. All of the species described above, both the primary and secondary ones, absorb at wavelengths well above 300 nm and could account for the shifts in the UV absorption spectra. As for the fluorescence spectral changes above 400 nm, at this point one can only guess at what species are responsible: in view of the complexity in assigning fluorescent peaks to specific chromophores in photodegraded polymers we postpone specific assignments to a companion study of model compounds in progress.

We are currently in the process of making 6F polymers with much higher molecular weights for comparison with the polyimides used in this study. The lower molecular weight polymers, such as those used in this study, are important since they serve as models for the photolytic decomposition of higher molecular weight polymers and provide a basis for future investigation of molecular weight effects on the basic photochemistry of the imide moiety in polymer systems comprised of 6F dianhydrides and aromatic amines.

#### Acknowledgements

The authors acknowledge the financial support of the Office of Naval Research. We also express our gratitude to Keziban Ezzell and Stephen Ezzell for providing technical assistance and participating in frank and enlightening discussions regarding all aspects of polyimides.

#### References

1. Gibbs, H. H.; Breder, C. V., In Copolymers, Polyblends, and Composites, Platzer, N. A. J., Ed.; Advances in Chemistry Series No. 142; American Chemical Society: Washington, DC, 1975, pp. 442-457.

2. St. Clair, T. L.; St. Clair, A. K.; and Smith, E. N., in "Structure-Solubility Relationships in Polymers," F. Harris and R. Seymour, Eds., pp. 199-214, Academic Press, New York, NY, 1977.
3. Harris, F. W.; Sridar, K.; and Das, S., Polym. Prep., 25(1), 110, 1984.
4. St. Clair, A. K.; St. Clair, T. L.; Slemp, W. S.; and Ezzell, K. S., NASA TM, 87650, 1985.
5. Husk, R. G.; Cassidy, P. E.; and Gebert, K. L., Macromolecules, 21, 1234, 1988.
6. Alvino, W. M., J. Appl. Polym. Sci., 15, 2123, 1971.
7. King, J. J. and Lee, B. H., in "High Performance Polymers: Their Origin and Development," R. B. Seymour and G. S. Kirshenbaum, Eds., pp 317-337, Elsevier, New York, NY, 1987.
8. Momose, Y.; Ikawa, K.; Sato, T.; and Okazaki, S., J. Appl. Polym. Sci., 33, 2715, 1987.
9. Pryde, C. A., J. Polym. Sci. Polym. Chem. Ed., 27, 711, 1989.
10. Carlsson, D. J.; Parnell, R. D.; and Wiles, D. M., J. Polym. Sci. Polym. Lett. Ed., 11, 149, 1973.
11. Carlsson, D. J.; Gan, L. H.; and Wiles, D. M., Can. J. Chem., 53, 2337, 1975.
12. Carlsson, D. J.; Gan, L. H.; and Wiles, D. M., J. Polym. Sci. Polym. Chem. Ed., 16, 2353, 1978.
13. Carlsson, D. J.; Gan, L. H.; and Wiles, D. M., J. Polym. Sci. Polym. Chem. Ed., 16, 2365, 1978.
14. Carlsson, D. J.; Gan, L. H.; Parnell, R. D.; and Wiles, D. M., J. Polym. Sci. Polym. Lett. Ed., 11, 683, 1973.

### Figure Captions

- Figure 1.** UV spectral change on photolysis of 0.089 mg/mL 6F-MDA in DMF (oxygen) with a Rayonet Reactor (300 nm lamps). (a) 0 h, (—); (b) 0.25 h, (---); (c) 0.5 h, (· · · · ·); (d) 1.0 h, (- · - · -).
- Figure 2.** UV spectral change on photolysis of 0.089 mg/mL 6F-MDA in DMF (nitrogen) with a Rayonet Reactor (300 nm lamps). (a) 0 h, (—); (b) 0.5 h, (- - -); (c) 1.0 h, (· · · · ·).
- Figure 3.** UV spectral change on photolysis of 0.085 mg/mL 6F-ODA in DMF (oxygen) with a Rayonet Reactor (300 nm lamps). (a) 0 h, (—); (b) 0.25 h, (- - -); (c) 0.5 h, (· · · · ·); (d) 1.0 h, (- · - · -).
- Figure 4.** UV spectral change on photolysis of 0.085 mg/mL 6F-ODA in DMF (nitrogen) with a Rayonet Reactor (300 nm lamps). (a) 0 h, (—); (b) 0.5 h, (- - -); (c) 1.0 h, (· · · · ·).
- Figure 5.** Fluorescence emission spectral change on photolysis of 0.089 mg/mL 6F-MDA in DMF (oxygen) with a Rayonet Reactor (300 nm lamps). (a) 0 h, (—); (b) 0.25 h, (- - -); (c) 0.5 h, (· · · · ·); (d) 1.0 h, (- · - · -).
- Figure 6.** Fluorescence emission spectral change on photolysis of 0.085 mg/mL 6F-ODA in DMF (oxygen) with a Rayonet Reactor (300 nm lamps). (a) 0 h, (—); (b) 0.25 h, (- - -); (c) 0.5 h, (· · · · ·); (d) 1.0 h, (- · - · -).

- Figure 7.** IR spectral change on photolysis of 6F-MDA films in air using a medium pressure mercury lamp (unfiltered). (a) 0 h; (b) 20 h.
- Figure 8.** IR spectral change on photolysis of 6F-ODA films in air using a medium pressure mercury lamp (unfiltered). (a) 0 h; (b) 20 h.
- Figure 9.** UV spectral change on photolysis of 6F-MDA films in air using a medium pressure mercury lamp (unfiltered). (a) 0 h, (—); (b) 4 h, (---); (c) 12 h, (.....); (d) 20 h, (-.-.).
- Figure 10.** UV spectral change on photolysis of 6F-ODA films in air using a medium pressure mercury lamp (unfiltered). (a) 0 h, (—); (b) 4 h, (---); (c) 12 h, (.....); (d) 20 h, (-.-.).
- Figure 11.** IR spectral change on photolysis of PMDA-MDA films in air using a medium pressure mercury lamp (unfiltered). (a) 0 h; (b) 36 h.
- Figure 12.** IR spectral change on photolysis of PMDA-ODA films in air using a medium pressure mercury lamp (unfiltered). (a) 0 h; (b) 36 h.
- Figure 13.** Weight change for photolysis of polyimide films in air using a medium pressure mercury lamp (unfiltered). (a) 6F-MDA, (—); (b) 6F-ODA, (---); (c) PMDA-MDA, (.....); (d) PMDA-ODA, (-.-.).

**Figure 14.** Inherent viscosity change on photolysis of polyimide films in air using a medium pressure mercury lamp (unfiltered). (a) 6F-MDA, (—); (b) 6F-ODA, (---).

**Figure 15.** GPC curve change on photolysis of 6F-MDA films in air using a medium pressure mercury lamp (unfiltered). The elution times for polystyrene standards are marked. (a) 0 h, (—); (b) 20 h, (---).

**Figure 16.** GPC curve change on photolysis of 6F-ODA films in air using a medium pressure mercury lamp (unfiltered). The elution times for polystyrene standards are marked. (a) 0 h, (—); (b) 20 h, (---).

**Figure 17.**  $M_{\max}$  change on photolysis of polyimide films in air using a medium pressure mercury lamp (unfiltered). (a) 6F-MDA, (—); (b) 6F-ODA, (---).



Fig. 1




Fig. 2





Fig. 3







Fig. 5






Fig. 7




Fig. 2






Fig. 1




Fig. 3




Fig. 11






Fig. 12








Fig. 15




Fig. 16






Fig. 17

